



The list below is our full product list at this time.

As we are constantly adding to our product range if you are unable to identify a suitable grade for your application please contact our technical team on +44 (0)1895 811 422 email us please click "contact us" button on our website.

Packaging							
Grades	Uses	Type	1 Bag	3 Bags	5 bags	100 Kg +	
DE34	Carton sealing	Hot melt	yes	yes	yes	yes	
DE2500	Fast machines, carton sealing	Hot melt	yes	yes	yes	yes	
B770 / 50	Difficult boards	Hot melt	yes	yes	yes	yes	
DEB653/3	Low melt	Hot melt	yes	yes	yes	yes	
			50 sticks	1 box	3 boxes	5 boxes	5 (+)
970 /12 clear	General purpose	<i>glue stick</i> Hot melt	yes	yes	yes	yes	POA
905/12 tan	Fast setting	Hot melt	yes	yes	yes	yes	POA
Water Based Grades	Uses	Type					100Kg +
CAS512	Glass bottle & Can labelling	Casein	<i>supplied in 30Kg and 55 Kg Polyainers</i>				POA
CAS502		Casein	<i>supplied in 30Kg and 55 Kg Polyainers</i>				POA
SWTAK3006	glass bottle ice proof	Synthetic	<i>supplied in 30Kg and 55 Kg Polyainers</i>				POA
SWTAK3015		Synthetic	<i>supplied in 30Kg and 55 Kg Polyainers</i>				POA
DEIWR8510		Synthetic	<i>supplied in 30Kg and 55 Kg Polyainers</i>				POA
Hot Melt Grades	Uses	Type					
CH-DE9026	PET Bottle labelling adhesives for canoamtic and controll applicators	Hot melt	<i>PSA blocks in Silicon or mini pillows format - 15Kg cartons</i>				
DE555		Hot melt	<i>PSA blocks in Silicon or mini pillows format - 15Kg cartons</i>				
DE518		Hot melt	<i>PSA blocks in Silicon or mini pillows format - 15Kg cartons</i>				
Print Finishing							
Hot Melt Grades	Uses	Type	1 Bag	3 Bags	5 Bags	100 Kg +	
		<i>Granular</i>					
DE516	carton / wallet forming	Hot melt	yes	yes	yes	POA	
DE2419	mailing & promotions	Hot melt	yes	yes	yes	POA	
NR30*	remoist hotmelt for mailers	Hot melt	yes	yes	yes	POA	
DE5220**	remoist and paper gumming	PVA	yes	yes	yes	POA	
* packed in 30kg HDPE drums ** Packed in 25 Kg bottles							
Print and Packaging							
Waterbased Grade			5 X 5Kg	2 Kegs	4 Kegs	100 Kg +	
K9370	fast setting packaging	PVA	yes	yes	yes	POA	
C94812	Case making and padding	PVA	yes	yes	yes	POA	
D5675	Carton forming, difficult surfaces	PVA	yes	yes	yes	POA	
C665/29	Laminated boards to paper	PVA	yes	yes	yes	POA	
DEL 165	Heat seal, leather, bonded leather	PVA	yes	yes	yes	POA	
DEL236***	Paper / board lamination, GP Hi-tack	Dextrin	yes	yes	yes	POA	
*** min 25Kg bottle							

Graphics, POS and Print Finishing

Grade	Uses	Type	Width	24 rolls	1 carton	3 cartons	3 cartons +
D732/640/6	GP - paper, card, plastic and flexible film	HMA	6mm	yes	yes	yes	POA
D732/640/9		HMA	9mm	yes	yes	yes	POA
D732/640/12		HMA	12mm	yes	yes	yes	POA
D735/6/12	as above but as fingerlift	HMA	6/12 mm	yes	yes	yes	POA
D735/9/15		HMA	9/15mm	yes	yes	yes	POA
D735/12/18		HMA	12/18mm	yes	yes	yes	POA
D2815/6	High performance, bonding and laminating applications. Placticiser and UV resistant	Acrylic	6mm	yes	yes	yes	POA
D2815/9			9mm	yes	yes	yes	POA
D2815/12			12mm	yes	yes	yes	POA
D2325/12ATG	Laminated folder work.	Acrylic	12mm	yes	yes	yes	POA
D2325/19ATG			19mm	yes	yes	yes	POA
D2305/12ATG	As above but for instant bonding	HMA	12mm	yes	yes	yes	POA
D2305/19ATG			19mm	yes	yes	yes	POA
D4161/12ATG			medium tack - repositionable	Acrylic	12mm	yes	yes
D4161/19ATG	19mm	yes			yes	yes	POA

Book Binding

Grade	Uses	Type	1 Bag	3 Bags	5 Bags	100Kg +
		<i>Granular</i>				
DE2442	Spine glue for difficult papers. White opaque	HMA	yes	yes	yes	POA
DE2499	Spine adhesive white	HMA	yes	yes	yes	POA
DEC983	Spine adhesive for single clamp machines	HMA	yes	yes	yes	POA
DH92948	Side glue - light yellow	HMPSA	yes	yes	yes	POA
D907	Side glue - ivory white long open time	HMPSA	yes	yes	yes	POA
B640/67SF	Long opetime semi pressure sensitive, side glue	HMA	yes	yes	yes	POA
H229/1	PUR hot melt adhesive for spine gluing	PUR	PUR grades are available in 18Kg drums. POA			

Product Assembly, Signs and Graphic Industry							
Grade	Uses	Type	Width	Single Rolls	6 rolls	12 rolls	12+
D1103 / 12	Permanent mounting and fixing of component parts	Mod Acrylate on PE Foam	12mm	yes	yes	yes	POA
D1103 / 19			19mm	yes	yes	yes	POA
D1103/ 25			25mm	yes	yes	yes	POA
Acrylic Foam Tape							
Grade	Uses	Type	Width	Single Rolls	6 rolls	12 rolls	12+
D640R+/12	Bonding difficult and dissimilar surfaces, including metals, ceramics, plastics, as well as lacquered powder-coated finishes	Polyacrlat synntactic Foam	12mm	yes	yes	yes	POA
D640R+/19			19mm	yes	yes	yes	POA
D640R+/25			25mm	yes	yes	yes	POA
D1100R+/12	As above offering added gap fill properties		12mm	yes	yes	yes	POA
D1100R+/19			19mm	yes	yes	yes	POA
D1100R+/25			25mm	yes	yes	yes	POA
Acrylic Film Tape Grade							
Grade	Uses	Type	Width	Single Rolls	6 rolls	12 rolls	12+
D250R+/12	Ultra high performance transfer adhesive for difficult surfaces	Polyacrylat	12mm	yes	yes	yes	POA
D250R+/19			19mm	yes	yes	yes	POA
D250R+/25	where structural bonds are required an invisible glue line is necessary		25mm	yes	yes	yes	POA
Double sided Polyester Tape							
Grade	Uses	Type	Width	Single Rolls	6 rolls	12 rolls	12+
D9605/12	Mounting plasticsdecorative strips name platesand POS	Solvent acrylic	12mm	yes	yes	yes	POA
D9605/19			19mm	yes	yes	yes	POA
D9605/24			24mm	yes	yes	yes	POA
Structural Bonding Adhesives							
Grade	Uses	Type	Single	6's	12's	12+	
9081 / 50	Bonding aluminium, polycarbonates and general plastics	2 part MMA	yes	yes	yes	POA	
9081 / 400			yes	yes	yes	POA	
General Purpose Adhesives							
Grade	Uses	Type	Single	5 Lt	4 X 5 Lt	12+	
S1005	High performance contact adhesive	Rubber	yes	yes	yes	POA	
M8030 / 500	Spray adhesive for carpets, fabrics, Wood and metals		yes	yes	yes	POA	
Cyanoacrylate Adhesives							
Grade	Uses	Type	Single	1 carton	3 cartons	3+ cartons	
CA613 / 50	High specification rubber bonder Rubber toughened for flexible bonds	CA	yes	yes	yes	POA	
CA643 / 50			yes	yes	yes	POA	
Water Based Adhesive							
Grade	Uses	Type	1 Lt	5 Lt	25 Lt	25 Lt +	
D2006	Hard and soft wood - D3 suited for outdoor use	PVA	yes	yes	yes	POA	

Contact us on tel +44 (0)1895 811 422 for all of your adhesive needs.
 Glue-4u providing the sticky solutions to get you out of those sticky situations!